

HEADQUARTERS - PLANT V. Moira str., Xiropigado LOGISTICS & SALES CENTER Loutsas str., Voro

Industrial Area Mandra Athens, Greece **T.** +30 210 5557579

P.O. Box 2315, GR 19600 | NORTHERN GREECE BRANCH Ionias str., GR 57009 Kalochori Thessaloniki, Greece **T.** +30 2310 467275

www.neotex.gr • export@neotex.gr

CONSTRUCTION CHEMICALS SINCE 1959

Declaration of Performance - DoP No.: 4950-52

Neopox® W Plus



1.	Unique identification code of the product type:	Neopox® W Plus	
2.	Intended use/es:	Surface protection products - Coating	
3.	Manufacturer:	NEOTEX S.A., V. Moira, 19600 Industrial Area Mandra, Greece	
4.	Authorized representative:		
5.	System/s of Assessment and Verification of Constancy of Performance (AVCP):	4	
6a.	Harmonized standard	EN 1504-2:2004	
	Notified body/ies:		
6b.	European assessment document:		
	European technical assessment:		
	Technical assessment body:		
	Notified body/ies:		

7. **Declared performance/s:**

Essential characteristics	Performance	Harmonized technical specification
Water vapour permeability	Class II	EN 1504-2:2004
Adhesion strength	≥1.5N/mm ²	
Capillary absorption and	W<0.1Kg/m ² h ^{0.5}	
permeability to water	WVO.IKg/III II	
Permeability to CO ₂	S _D >50m	
Reaction to fire	B _{fl} -s1	
Dangerous substances	Complies with 5.3	



CONSTRUCTION CHEMICALS SINCE 1959

HEADQUARTERS - PLANT
V. Moira str., Xiropigado
LOGISTICS & SALES CENTER
Loutsas str., Voro

P.O. Box 2315, GR 19600 Industrial Area Mandra Athens, Greece T. +30 210 5557579

NORTHERN GREECE BRANCH Ionias str., GR 57009 Kalochori Thessaloniki, Greece T. +30 2310 467275

www.neotex.gr • export@neotex.gr

Declaration of Performance - DoP No.: 4950-52

Neopox® W Plus



8. Appropriate technical documentation and/or special technical documentation

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

NEOTEX AEVE

BRANCH: LOUISAS STR., THESI VOROL 19600. INDUSTRIAL AREA MANDRA GREECE HEADQUARTERS: V.MOIRA STR., 19800 INDUSTRIAL AREA MANDRA GREECE TEL.: +302105557579 +302105246826. FAX: +302105558482 VAT: EL 094029045 - PRN: 4164 www.neotex.gr e-mail: export@neotex.gr

Lampros Ntoumos

Technical Director

BRANCH: LOUISAS STR., THESI VORO., 19601 - NDUSTRIAL AREA MANDRA GREECE
HEADQUARTERS: V.MOIRA STR., 19600 THDUSTRIAL AREA MANDRA GREECE
TEL.: +302105557579 · +302105246826 · FAX: +302105558482
VAT: EL 09402945 - PRN: 4164
www.neotex.gr e-mail: export@neotex.gr

Marios Bougiouk-Ioannidis
R&D Director



CONSTRUCTION CHEMICALS SINCE 1959

HEADQUARTERS - PLANT V. Moira str., Xiropigado **LOGISTICS & SALES CENTER** Loutsas str., Voro

Industrial Area Mandra Athens, Greece **T.** +30 210 5557579

P.O. Box 2315, GR 19600 | NORTHERN GREECE BRANCH Ionias str., GR 57009 Kalochori Thessaloniki, Greece **T.** +30 2310 467275

www.neotex.gr • export@neotex.gr

CE

NEOTEX S.A.

V.Moira str., P.O. Box 2315 GR 19600 Industrial Area Mandra, Athens, Greece

19

DoP No.: 4950-52

EN 1504-2

Neopox® W Plus

Surface protection products

Coating

Water vapour permeability	Class II	
Adhesion strength	≥1.5N/mm²	
Capillary absorption and permeability	=1.51() 11111	
	$W<0.1Kg/m^2h^{0.5}$	
to water		
Permeability to CO ₂	S _D >50m	
Reaction to fire	B _{fl} -S1	
Dangerous substances	Complies with 5.3	

Declarations of Performance (DoPs)



