

**CONSTRUCTION CHEMICALS SINCE 1959** 

HEADQUARTERS - PLANT V. Moira str., Xiropigado LOGISTICS & SALES CENTER Loutsas str., Voro

Industrial Area Mandra Athens, Greece T. +30 210 5557579

P.O. Box 2315, GR 19600 | NORTHERN GREECE BRANCH Ionias str., GR 57009 Kalochori Thessaloniki, Greece **T.** +30 2310 467275

www.neotex.gr • export@neotex.gr

### Declaration of Performance - DoP No.: 4950-56

# **Neotex<sup>®</sup> PU Joint**

CE

| 1.  | Unique identification code of the product type:                                   | Neotex <sup>®</sup> PU Joint  |  |
|-----|---|---|--|
| 2.  | Intended use/es:  | Sealant for facade elements   |  |
| 3.  | Manufacturer:   | NEOTEX S.A., V. Moira, 19600 Industrial Area Mandra,<br>Greece (Production factory 5) |  |
| 4.  | Authorized representative:  |   |  |
| 5.  | System/s of Assessment and<br>Verification of Constancy of<br>Performance (AVCP): | 4   |  |
| 6a. | Harmonized standard   | EN 15651-1  |  |
|     | Notified body/ies:  |   |  |
| 6b. | European assessment document:   |   |  |
|     | European technical assessment:  |   |  |
|     | Technical assessment body:  |   |  |
|     | Notified body/ies:  |   |  |

#### **Declared performance/s:** 7.

| Essential characteristics   | Performance   | Harmonized technical specification |
|---|---|------------------------------------|
| Resistance to flow (+50°C, 50% RH)                                  | 0mm   |                                    |
| Loss of volume  | ≤10%  |                                    |
| Tensile properties at maintained extension after immersion in water | Pass  |                                    |
| Determination of adhesion/cohesion at variable temperature          | Pass  | EN 15651-1                         |
| Tensile properties (-20°C, +23°C)                                   | Modulus: 0,21 (-20°C)<br>0,22 (+23°C)<br>Elongation at break:<br>565% (+23°C) | EN 13031-1                         |
| Tensile properties at maintained                                    |   |                                    |
| extension (-20°C, +23°C)  | Pass  |                                    |



CONSTRUCTION CHEMICALS SINCE 1959

P.O. Box 2315, GR 19600 Industrial Area Mandra Athens, Greece T. +30 210 5557579

NORTHERN GREECE BRANCH Ionias str., GR 57009 Kalochori Thessaloniki, Greece T. +30 2310 467275

www.neotex.gr • export@neotex.gr

## Declaration of Performance - DoP No.: 4950-56

## **Neotex<sup>®</sup> PU Joint**

CE

#### 8. Appropriate technical documentation and/or special technical documentation

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

NEOTEX AEVE BRANCH: LOUTSAS STR., THESI VORD, 19600, INDUSTRIAL AREA MANDRA GREECE HEADQUARTERS: V.MOIRA STR., 4900 INDUSTRIAL AREA MANDRA GREECE TEL.: +302105557579 +302105246826, FAX: +30 2105558482 VAT: EL 094029045 - PRN: 4164 www.neotex.gr e-mail: export@neotex.gr

> Lampros Ntoumos Technical Director

NEOTEX/AEVE BRANCH: LOUTSAS STR., THESI VORO, 1960 - INDUSTRIAL AREA MANDRA GREECE HEADQUARTERS: V.MOIRA STR., 19600 INDUSTRIAL AREA MANDRA GREECE TEL.: +302105557579 - +302105246826 - FAX: +30 2105558482 VAT: EL 094029945 - PRN: 4164 www.neotex.gr e-mail: export@neotex.gr

Marios Bougiouk-Ioannidis

R&D Director

