

Declaration of Performance - DoP No.: 4950-41

Epoxol® Floor S



| | | |
|---|---|---|
| 1. Unique identification code of the product type: | Epoxol® Floor S | |
| 2. Intended use/es: | Synthetic Resin screed material for use internally in buildings | |
| 3. Manufacturer: | NEOTEX S.A., V. Moira, 19600 Industrial Area Mandra, Greece | |
| 4. Authorized representative: | --- | |
| 5. System/s of Assessment and Verification of Constancy of Performance (AVCP): | 4 | |
| 6a. Harmonized standard | EN 13813 | |
| Notified body/ies: | --- | |
| 6b. European assessment document: | --- | |
| European technical assessment: | --- | |
| Technical assessment body: | --- | |
| Notified body/ies: | --- | |
| 7. Declared performance/s: | | |
| Essential characteristics | Performance | Harmonized technical specification |
| Release of corrosive substances | SR | EN 13813 |
| Wear resistance | AR0,5 | |
| Impact resistance | IR4 | |
| Bond strength | B2,0 | |
| Reaction to fire | NPD | |

Declaration of Performance - DoP No.: 4950-41

Epoxol® Floor S



8. Appropriate technical documentation and/or special technical documentation

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

NEOTEX AEVE
BRANCH: LOUTSAS STR, THESI VORO, 19600 - INDUSTRIAL AREA MANDRA GREECE
HEADQUARTERS: V.MOIRA STR., 19600 INDUSTRIAL AREA MANDRA -GREECE
TEL.: +302105557579 - +302105246826 - FAX: +30 2105558482
VAT: EL 094029945 - PRN: 4164
www.neotex.gr e-mail: export@neotex.gr

Lampros Ntoumos

Technical Director

NEOTEX AEVE
BRANCH: LOUTSAS STR, THESI VORO, 19600 - INDUSTRIAL AREA MANDRA GREECE
HEADQUARTERS: V.MOIRA STR., 19600 INDUSTRIAL AREA MANDRA -GREECE
TEL.: +302105557579 - +302105246826 - FAX: +30 2105558482
VAT: EL 094029945 - PRN: 4164
www.neotex.gr e-mail: export@neotex.gr

Marios Bougiouk-Ioannidis

R&D Director



NEOTEX S.A.
V.Moira str., P.O. Box 2315
GR 19600 Industrial Area Mandra, Athens, Greece

17

DoP No.: 4950-41

EN 13813 SR-AR0,5-B2,0-IR4

Epoxol® Floor S

Synthetic Resin screed material for use internally
in buildings

| | |
|---------------------------------|-------|
| Release of corrosive substances | SR |
| Wear resistance | AR0,5 |
| Impact resistance | IR4 |
| Bond strength | B2,0 |
| Reaction to fire | NPD |

[Declarations of Performance \(DoPs\)](#)

