

Declaration of Performance - DoP No.: 4950-09

Neorep®



1. Unique identification code of the product type:	Neorep®	
2. Intended use/es:	Concrete repair product for structural repair CC mortar (based on hydraulic cement)	
3. Manufacturer:	NEOTEX S.A., V. Moira, 19600 Industrial Area Mandra, Greece (Production factory 1)	
4. Authorized representative:	---	
5. System/s of Assessment and Verification of Constancy of Performance (AVCP):	4	
6a. Harmonized standard	EN 1504-3	
Notified body/ies:	---	
6b. European assessment document:	---	
European technical assessment:	---	
Technical assessment body:	---	
Notified body/ies:	---	
7. Declared performance/s:		
Essential characteristics	Performance	Harmonized technical specification
Compressive strength	Class R4	EN 1504-3
Chloride ion content	≤0,05%	
Adhesion	≥2MPa	
Resistance to carbonation	Pass	
Capillary absorption	≤0,5kg/m ² h ^{0,5}	
Thermal compatibility	≥2MPa	
Modulus of elasticity	≥20GPa	
Dangerous substances	Complies with 5.4	
Reaction to fire	Euroclass A1	

Declaration of Performance - DoP No.: 4950-09

Neorep®



8. Appropriate technical documentation and/or special technical documentation

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

NEOTEX A EVE
BRANCH: LOUSAS STR., THESI VORO, 19600 - INDUSTRIAL AREA MANDRA GREECE
HEADQUARTERS: V.MOIRA STR., 19600 INDUSTRIAL AREA MANDRA -GREECE
TEL.: +302105557579 - +302105246826 - FAX: +30 2105558482
VAT: EL 094029045 - PRN: 4164
www.neotex.gr e-mail: export@neotex.gr

Lampros Ntoumos
Technical Director

NEOTEX A EVE
BRANCH: LOUSAS STR., THESI VORO, 19600 - INDUSTRIAL AREA MANDRA GREECE
HEADQUARTERS: V.MOIRA STR., 19600 INDUSTRIAL AREA MANDRA -GREECE
TEL.: +302105557579 - +302105246826 - FAX: +30 2105558482
VAT: EL 094029045 - PRN: 4164
www.neotex.gr e-mail: export@neotex.gr

Marios Bougiouk-Ioannidis
R&D Director

CE	
<p>NEOTEX S.A. V.Moira str., P.O. Box 2315 GR 19600 Industrial Area Mandra, Athens, Greece (Production factory 1)</p> <p>15</p>	
<p>DoP No.: 4950-09</p> <p>EN 1504-3</p> <p>Neorep®</p> <p>Concrete repair product for structural repair CC mortar (based on hydraulic cement)</p>	
Compressive strength	Class R4
Chloride ion content	≤0,05%
Adhesion	≥2MPa
Resistance to carbonation	Pass
Capillary absorption	≤0,5kg/m ² h ^{0,5}
Thermal compatibility	≥2MPa
Modulus of elasticity	≥20GPa
Dangerous substances	Complies with 5.4
Reaction to fire	Euroclass A1
<u>Declarations of Performance (DoPs)</u>	

